
Kodak



PressProof

Software
Version 5.0

Release Notes
English

739-00471A-EN Rev B

Copyright



© 2008 Kodak. All rights reserved.

Kodak, eCentral, Matchprint, PressProof, and Prinergy are trademarks of Kodak.

Adobe, Acrobat, Adobe Illustrator, Distiller, Photoshop, PostScript, and PageMaker are trademarks of Adobe Systems Incorporated.

Apple, iMac, Power Macintosh, Mac OS, AppleShare, AppleTalk, TrueType, ImageWriter, and LaserWriter are registered trademarks of Apple Computer, Inc. Macintosh is a trademark of Apple Computer, Inc., registered in the U.S.A. and other countries.

PANTONE, Hexachrome, PANTONE Hexachrome, and PANTONE MATCHING SYSTEM are the property of Pantone, Inc.

PEARL, PEARLsetter, PEARLhdp, PEARLdry, and PEARLgold are registered trademarks of Presstek, Inc.

XEROX is a trademark of XEROX CORPORATION.

http://graphics.kodak.com/

739-00471A-EN Rev B

Revised May 2008

Contents

Introduction 1

What Is in These Release Notes 1
Hardware and Software Requirements 1
Operating System 1
Memory 1
Calibration Software 2
Colorimeter 2
Platform 2
Monitors and Viewing Booths 2

New Features 3

Job Selection 3
Versions 3

Enhancements 4

Client Software Updates 4
Default Orientation 4
Color Viewing Error 4

Issues Resolved 5

Multiple Color Monitors 5

Limitations 6

Introduction

We are pleased to send you the latest revision of the Kodak® PressProof™ software. These release notes highlight the changes and improvements to the software. Where appropriate, they refer you to other technical documentation for more information.

What Is in These Release Notes

The release notes include the following sections:

- *Hardware and Software Requirements* describes the minimum requirements for a PressProof hardware and software configuration on a client computer.
- *New Features* describes new functionality of the PressProof software.
- *Enhancements* describes improvements that were made to existing features.
- *Issues Resolved* lists problems in the previous version of PressProof software that are now resolved.
- *Limitations* lists limitations of the PressProof software.

Note: For a list of the new features, enhancements, and bug fixes for each minor update of the PressProof software, see the *InSite 5.5.0 ReadMe* document. This document is available from the **Self Support > Downloads** page on Kodak eCentral®, the Internet portal at https://ecentral.graphics.kodak.com/.

Hardware and Software Requirements

Before you install this latest version of the PressProof software on a client computer, ensure that the client system meets the following minimum requirements:

Note: The hardware and software requirements for a standalone PressProof server are the same as the Kodak InSite® Prepress Portal server. For details, see the *InSite Prepress Portal Release Notes*, available on the eCentral portal at https://ecentral.graphics.kodak.com/.

Operating System

The Apple® Mac OS® X operating system software, version 10.4.6 to 10.4.11, or version 10.5.2 or later.

Memory

If you use multiple monitors, the system should have a minimum of 4GB of memory.

Calibration Software

Kodak Matchprint® Virtual calibration software, version 4.2 or later.

Note: If you use the Mac OS 10.5 (Leopard) operating system, you must install Matchprint VIrtual software version 5.1 or later.

Install the latest version of the calibration software from the Matchprint Virtual Web site at http://graphics.kodak.com/matchprintvirtual/.

Colorimeter

Matchprint Virtual calibrator (X-Rite® DTP94 colorimeter)

Platform

Apple Mac® Pro computer with an Intel® Core™ Duo processor, Apple Mac mini computer with an Intel Core Duo processor, Apple Power Mac G4 computer, or Apple Power Mac G5 computer.

Note: The Mac mini computer does not support a 30-inch single monitor or any dual-monitor configuration.

For information about video cards, see the Apple Web site at http://www.apple.com/displays/ or consult your Apple dealer.

Monitors and Viewing Booths

You must use the PressProof software with qualified or supported color monitors for color accurate viewing of pages or surfaces. If you plan to compare hard copy proofs to the images on the color monitors, you must view the proofs in a qualified, dimmable viewing booth.

For information about monitors and viewing booths, see the *Matchprint Virtual Release Notes*, available under **Product Documentation** at http://graphics.kodak.com/matchprintvirtual/.

New Features

This section lists features that were added in the PressProof 5.0 software. The version in which a change was made is indicated in the left margin.

Job Selection

Version 5.0.4

If your PressProof software is integrated with a Kodak Prinergy® workflow, version 4.0.2.1 or later, you can select which jobs are available to users to view.

In Prinergy Workshop, open the Job Finder. Right-click a single job or a group of jobs, and select **Edit Job Attributes**. Click **Enable Press Side Proofing**. (This setting is disabled by default).

Tip: Select the **Enable Press Side Proofing** setting in a job template, so that all new jobs created using the template will be available automatically in PressProof.

Versions

Version 5.0.4

If your PressProof software is integrated with a Prinergy workflow, and you have created versioned jobs using the Prinergy Layered PDF Versioning (LPV) feature, you can view specific versions in PressProof from the Pages view.

When you select pages from a versioned job, the **View different versions** list appears at the bottom of the PressProof window. Select the version that you want to view from the list—for example, Italian.

Note: You must view pages, not surfaces, and they must be in printer spreads, not reader spreads.

Enhancements

This section lists features that were improved in this release of PressProof software. The version in which a change was made is indicated in the left margin.

Client Software Updates

Version 5.0.1

After the PressProof 5.0 software is installed on the server, when a user logs on to any PressProof workstation that has version 4.5 installed, the message `A software update is available` appears. The PressProof software will not start until this update is installed. Remind users to click **Install**, and ensure that they know the administrative password so they can complete the installation.

The changes in the 5.0 update are minor; the features and functionality of your PressProof software remain the same.

The update message may also appear because a minor update is available—for example, from 5.0.1 to 5.0.3. The user can choose whether to install these minor updates or continue to use the current version of PressProof 5.0 software.

Tip: Watch for an asterisk (*) beside the PressProof icon in the toolbar. It indicates that a software update is available.

Default Orientation

Version 5.0.4

You can select a preferred orientation in PressProof, from the **Preferences** menu. The orientation becomes the default for all surfaces that users view in the PressProof software.

Color Viewing Error

Version 5.0.4

`Could not find a MV compatible monitor`

If you see this error message when you log on to the PressProof software, a qualified color monitor is not yet registered in the software. To register a qualified monitor, log on to the PressProof software from a computer that has a supported color monitor. The software will automatically register that monitor for use in displaying images. From then on, you can log on successfully from computers that have unqualified monitors.

For a list of monitors that are supported for use with the PressProof software, see *Monitors and Viewing Booths* on page 2.

Issues Resolved

This section lists issues that are resolved in the PressProof software. The version in which a change was made is indicated in the left margin.

Multiple Color Monitors

Version 5.0.2

The problem of having to use the same model of color monitors at a PressProof workstation is resolved. You can use monitors from different manufacturers and from different production runs.

Limitations

This section lists limitations in the PressProof software.

Layered PDF Versioning Jobs

Layered PDF Versioning (LPV) jobs can be opened only in the Pages view in PressProof. You cannot use the Surfaces view for an LPV job.

USB Connection for ColorEdge Monitors

Eizo® ColorEdge® color calibration monitors cannot be connected to a keyboard Universal Serial Bus (USB) port or to a self-powered USB hub. The monitor must be connected directly to a USB port on the computer.