11-0484C-E

KIT,EM,TS BASE(NO OPTION),TS3/8

Item No.	Part No.	Description	Quantity
10	50-1300E-F	ASSY,MECH,ENG MODULE,TS3244	1
20	16-3461	CONN,JACK,BANANA UNINSULATED W/LUG	1
30	52-4374	WASH,1/4",LOCK,INT TOOTH,SS	1
40	50-1728B-B	ASSY,MECH,ENGINE,TS3/8	1
50	52-4686	SCRW,1/2-13*2-1/2",SOCK-SET,S,CUP POINT	3
60	52-4652	NUT,1/2"-13,NYLON INSERT,S-P	3
61	52-3039	WASH,1/2"*1-1/4"*.078",FLT,SS	3
62	52-4685	WASH,1/2",RUBBER,1-3/16"OD,1/2"THICK	3
70	10-1003A-A	CAB,ASSY,GND BRAID,300MM,CTP	1
80	52-4387	WASH,M5,LOCK,EXT TOOTH,SS	4
		2 @ FB GND	
		1 @ FRAME BRAID 1 @ PB GND	
90	52-4483	SCRW,M5*10,SOCK-CAP,S-PLATED	4
		2 @ SLAM LATCH	
		1 @ PB GROUND 1 @ FRAMEGND	
100	59-3299	LATCH,HIDDEN PANEL,SLAM	1
105	57-5738A-A	FAB,SHIM,CHASSIS SLIDE,TS3	4
		1EA BETWEEN SLIDE & FRAME	
107	52-3308	SCRW,M5*15,SOCK-FLT,S-PLATED	24
		6EA @ SLIDES	
110	11-0442G-C	ASSY,EM,POWERBOX,TS3/8	1
120	15-3330A-A	SERVOAMP,BLDC MTR,8/12A,160V,CE,MODIFIE	1
130	52-4459	SCRW,M4*8,SOCK-CAP,S-PLATED	6
140	52-3205	SCRW,M4*14,SOCK-CAP,S-PLATED	2
		2 @ POWER BOX FLEX TRACK	
150	52-3059	WASH,M4,LOCK,SPLIT,S-PLATED	2
		2 @ POWER BOX FLEX TRACK	
160	52-3052	NUT,M4,S-PLATED	2
		2 @ POWER BOX FLEX TRACK	
170	52-4458	SCRW,M3*8,SOCK-CAP,S-PLATED	2
		USED @ SMALL FLEX TRACKCABLE TRAY.	
180	52-3058	WASH,M3,LOCK,SPLIT,S-PLATED	2
		2 @ CABLE TRAY	
190	57-3994B-A	FAB,SCSI JACK SCREW,26MM,STL	2
		CLEAR THREAD WITH 2-56 TAP	
200	57-4711A-A	FAB,NUT-PLATE,SCSI CONN	1
		USE WITH ITEM#0190, APPLY LOCTITE 222	
210	18-3049	CAB,TIE,7.5",BLACK WEATHER RESISTANT	18
220	18-3017	CAB,TIE,10CM,BLACK	41
		USE AS REQUIRED	
230	10-3670A-A	Cab,Assy,OIF,Tee,TS3	1
240	15-3063	SENS,REED SWITCH,NO,200-250VDC,.5A	2
250	52-3057	WASH,M3,FLT,S-PLATED	4

11-0484C-E

KIT,EM,TS BASE(NO OPTION),TS3/8

Item No.	Part No.	Description	Quantity
260	52-3252	SCRW,M3*8,SOCK-CAP,S-PLATED,PRE-APPLIED	4
300	11-0441F-A	ASSY,EM,FANBOX,TS3244	1
305	57-5012A-A	FAB,CABLE TRACK,FAN BOX,TS3244	1
306	56-1036	TAPE,UHMW,1"*.005",ADHESIVE	0.06
307	52-4054	WASH,M4,FLT,S-PLATED	2
	2	@ CABLE TRAY	
308	52-4459	SCRW,M4*8,SOCK-CAP,S-PLATED	2
	2	@ CABLE TRAY	
310	52-3150	SCRW,M5*14,SOCK-CAP,S-PLATED	1
		USED WITH FB GND	
320	52-4203	NUT,M5,S-PLATED	1
330	57-0722B-D	FAB,HOSE TRAY,TEH	1
340	56-3054	RUBBER,TRIM,EDGE,1/16"	0.16
		USED @ HOSE TRAY, PB-END REAR	
		USE LOCTITE 409	
350	52-4292	SCRW,M4*8,SOCK-BUT,S-BLK	3
360	57-5546B-B	FAB,CABLE TRAY,TH1.0,TS4	1
370	56-3221	HOSE,VACUUM,1.75"ID	2
380	52-4558	CLAMP,HOSE,33-57MM,SS	2
420	52-4218	WASH,3/16"*7/16"*1/16",FLT,SS	68
	4	USED WITH BACK RIGHT & LEFT PANELS	
430	52-4278	SCRW,M5*10,SOCK-BUT,S-BLK	4
		USED FOR FAN BOX TOP ENDPANEL ABOVE FILTER BOX.	
440	52-4573	SCRW,M5*12,SOCK-BUT,S-BLK	56
500	52-4070	WASH,M6,FLT,S-PLATED	5
505	52-3255	SPACR,M5*27,HEX,MALE/FEMALE	4
		USED WITH BACK R & L PANELS	
506	52-3191	WASH,M6,HEAVY,6.4*17*3,S-PLATED	4
	4	@ RIGHT & LEFT FILLERPANELS	
510	52-3130	SCRW,M6*30,SOCK-CAP,S-PLATED	3
	1	@ FB BACK MOUNTING	
	2	@ PB/FB STOPS @ FRAME-RAIL	
520	52-4186	WASH,M6,LOCK,SPLIT,SS	1
	1	@ FB BACK MOUNTING	
530	52-3259	WASH,1/4"*5/8"*.062",FLT,NYLON	1
	1	@ FB BACK MOUNTING	
540	59-3257	ORING,3/16"*0.103"THKRUBBER	1
	1	@ FB BACK MOUNTING	
550	52-3137	SPACR,M6*16,BUTTITE,S-PLATED	2
		PB/FB STOPS @ FRAME-RAIL.	
560	59-3205	GROMT,5/8"*1/8",RUBBER	2
		PB/FB STOPS @ FRM-RAIL.	
580	74-3004	LABEL,PRINTER BLANK,PARTNUM,.65"*.20"	1

11-0484C-E

KIT,EM,TS BASE(NO OPTION),TS3/8

Item No.	Part No.	Description	Quantity
582	55-0657	FTG,YJOINT,AIR 12MM-12MM,TUBE,QUICK	2
583	55-0656	ADAPT,AIR,12MM SOCKET,8MM TUBE BRASS	2
584	55-0655	PLUG,12MM,QUICK	1
586	56-1040	TUBE,AIR,5/16" (M8),BLACK,POLYURETHANE	0.65
587	55-0167	PLUG,5/16",QUICK	1
588	56-3291	TUBE,AIR,12MM,CLEAR,POLYURETHANE	2.2
592	55-0162	PLUG,5/32",QUICK	2
593	55-0108	UNION,BRANCH,AIR,2*5/16"TUBE,3*5/32"TUB	1
594	55-0134	FTG,LUER,MALE,2.25MM ID TUBE,NYLON,WHIT	2
595	56-1037	TUBE,AIR,4 OD(5/32"),BLACK,POLYUTRETHAN	0.3
610	74-3037A-A	LABEL,CAUTION!! STATIC DISCHARGE PLACE NEXT TO BOTH GROUND JACKS (POWER BOX FLOOR AND REAR UPRIGHT)	2
620	74-3154A-A	LABEL,VOLTAGE CONFIG,200-208/220/230-24 PLACE BELOW THE AC APPLIANCE INLET	1
630	74-3174	LABEL,BLANK,LASER PRINTER,1.0"*0.5" TXT1=M1 PLACE ON DRUM MOTOR ASSY TXT2=M2 PLACE ON CARRIAGE MOTOR	13
640	74-3068	LABEL,HIGH VOLTAGE SYMBOL ON CARD CAGE REAR COVER	1
650	74-3013A-B	LABEL,LASER CLASS 1 PRODUCT PLACE ON FANBOX RIGHT OF FANBOX VENTILATION FAN	1
660	74-3014B-A	LABEL,CSA MARK (C-US) PLACE BELOW MAIN ON/OFFCIRCUIT BREAKER	1
670	74-3016A-D	LABEL,FCC CERTIFICATION,CSA CONTROLLED PLACE ON FAN BOX ABOVE/LEFT OF FANBOX VENTILATION FAN.	1
680	74-3127A-C	LABEL,COMPLIES WITH 21CFR,CSA CONTROLLE PLACE ABOVE ITEM 0650 ON FANBOX	1
690	74-3064A-A	LABEL,CE APPROVAL PLACE TO THE RIGHT OF MAIN ON/OFF CIRCUIT BREAKER.	1

11-0484C-E

KIT,EM,TS BASE(NO OPTION),TS3/8

Item No.	Part No.	Description	Quantity
700	74-3173A-A	LABEL,CAUTION,VISIBLE& INVISIBLE LASER PLACE NEXT TO EACH INTERLOCK LOCATION	5
710	74-3073A	LABEL,SERIAL NUMBER/RATING,CSA CONTROL PLACE T0 THE LEFT OF FANBOX VENTILATI0N FAN	1
715	74-3233A-A	LABEL,SERVICE REFERENCE NUMBER PLACE ON FANBOX END PANEL,BOTTOM RIGHT HAND CORNER. FILL IN SERIAL # OF MACHINE	1
720	13-3602	IND,FERRITE,RND CABLE,12.5MM PLACE ONE AT CARRIAGE MOTOR PLACE SECOND ON COAX CONNECTED TO PH.	2
730	57-5973A-C	FAB,EMI BONDING STRAP,CABLE TRAY/PWR BO	1
740	57-5974B-A	FAB,EMI BONDING STRAP,CABLE TRAY/HEAD	1
880	74-3192A-A	LABEL,100 NUMBER,ECO REFERENCE	1
890	59-3487	SLIDE,CHASSIS,PAIR 24",NEW MOUNT	1
900	52-3125	SCRW,M5*16,SOCK-CAP,S-PLATED 3EA@SLIDES	6
910	52-4029	WASH,M5,LOCK,SPLIT,S-PLATED 3EA@SLIDES	6
920	52-3248	WASH,M5,HEAVY,5.3*15*2,S-PLATED 3EA@SLIDES	6