






JUMPER
ITEM # 0650

NOTE: ADD THIS LABEL ON THE TOP RIGHT CORNER

B

DIN COMPONENT MOUNT
11-0605A-[REV]
DATE

0730
1



B LATEST REVISION ON THIS DRAWING

REV	ECO	DATE	DRAWING CHANGES BY	APPROVED BY
B	D470	2000:MAY:22	S CHEUNG	S CHEUNG
A	D336	2000:FEB:15	S CHEUNG	S CHEUNG

CREO


ASSY,ELEC,
POWER COMPONENTS
MOUNT,TS8

© COPYRIGHT CREO PRODUCTS INC.

DESIGNED BY	DRAWN BY
S CHEUNG	S CHEUNG

MILLIMETERS UNLESS SPECIFIED	DATE	SIZE	SCALE
	2000:FEB:15	B	NTS

PART NO.	REV	DOC	SHEET	OF
11 - 0605A - B	AD		1	6



ITEM#	P/N#	REFERENCE DISTANCE
0790	10-3886	580mm
0800	10-3888	820mm

REF:

ITEM#	P/N#
0730	10-3910

REF:

ITEM#	P/N#
REF F	PAGE 5

500mm from the edge

REF:

ITEM#	P/N#
REF A	PAGE 4

ITEM#	P/N#	REFERENCE DISTANCE
0770	10-3975	830mm
0780	10-3976	490mm
0830	10-3893	300mm
0850	10-3892-single wire	530mm
	10-3892-two wires	310mm
0870	10-3989	310mm
0880	10-3996	400mm
0840	10-3887	310mm
1000	10-4334	180mm

AC WIRES ROUTING

DC WIRES ROUTING

ITEM#	P/N#	REFERENCE DISTANCE
0860	10-3986	250mm
REF B	PAGE 4	N/A
REF C	PAGE 4	N/A
REF D	PAGE 5	N/A
REF E	PAGE 5	N/A

REV	ECO	DATE	DRAWING CHANGES BY	APPROVED BY
B	D470	2000:MAY:22	S CHEUNG	S CHEUNG
A	D336	2000:FEB:15	S CHEUNG	S CHEUNG

CREO

ASSY,ELEC,
POWER COMPONENTS
MOUNT,TS8

© COPYRIGHT CREO PRODUCTS INC.


DESIGNED BY	DRAWN BY
S CHEUNG	SCHEUNG

MILLIMETERS UNLESS SPECIFIED	DATE	SIZE	SCALE
	2000:FEB:15	B	NTS

PART NO.	REV	DOC	SHEET	OF
11 - 0605A - B	AD	2	6	

		Cable		From RELAY		To TB-2	
		Pos.	Color	Pos.	Term.	Row	Pos.
10-4334A	FAN BOX L1	PIN 1	BRN			9	4
Item# 1000	FAN BOX - B2	PIN 2	BRN	K5	8		
	FAN BOX - B1	PIN 3	BRN	K4	8		
	FAN-BOX-VACUUM	PIN 4	BRN	K3	2		
	FAN BOX - PE	PIN 5	G/Y			16	1
	FAN BOX- N	PIN 6	BLUE			12	2
	FAN BOX - DEBRIS	PIN 7	BRN	K7	2		
	FAN BOX - L2/N	PIN 8	BLUE			13	1

Cable		Color	TB-2 Row	TB-2 Pos.	RELAY Pos.	RELAY Term.
10-3886	L1	BLK	1	4		
Item# 0790	L2/N	WHITE	12	3		
	GND	G/Y	14	3		
10-3888	L1	BLK	2	4		
Item# 0800	L2/N	WHITE	11	3		
	GND	G/Y	17	4		
10-3975	PIN 1	BLK			K8	5
Item# 0770	PIN 2	WHITE			K8	4
10-3996	PIN 1	BRN			K6	3
Item# 0880	PIN 2	RED			K6	2
	PIN 3	ORG			K7	3
	PIN 4	BLK			K7	4
	PIN 5	BLK			K9	5
10-3893	PIN3	RED			K3	3
Item# 0830					K4	0
					K5	0
	PIN4	ORG			K4	1
	PIN5	YELLOW			K9	2
	PIN6	BLUE			K3	4
	PIN7	VIOLET			K8	1
	PIN8	GRAY			K8	6
	PIN12	BRN			K5	1
10-3976	PIN2	BLK			K1	0
Item# 0780						
10-3989	PIN 1	ORG			K2	1
Item# 0870	PIN 2	BLK			K2	0
	PIN 2	BLK			K6	6
10-3892	PIN 1	ORANGE			K9	1
Item# 0850	PIN 2	BLACK			K9	6
	PIN 1	ORG			K1	1
10-3986	PIN 1	BRN	8	4		
Item# 0860	PIN 2	BLUE	14	3		
	PIN 3	BRN			K2	8
	PIN 4	BLUE	14	4		
	PIN 5	G/Y	17	3		
10-3887	L1	BLACK	1	2		
Item# 0840	L2/N	WHITE	11	1		
	GND	G/Y	16	4		



REV	ECO	DATE	DRAWING CHANGES BY	APPROVED BY
B	D470	2000:MAY:22	S CHEUNG	S CHEUNG
A	D336	2000:FEB:15	S CHEUNG	S CHEUNG

CREO

ASSY,ELEC,
POWER COMPONENTS
MOUNT,TS8

© COPYRIGHT CREO PRODUCTS INC.

DESIGNED BY	DRAWN BY
SCHEUNG	SCHEUNG

MILLIMETERS UNLESS SPECIFIED	DATE	SIZE	SCALE
	2000:FEB:15	B	NTS

PART NO.	REV	DOC	SHEET	OF
11 - 0605A - B	AD		3	6

REF: A


Cable Length in (mm)			TB-2		Circuit Breaker		
			Row	Pos.	Pos.	Term.	Conn.
16-3247	746	BRN	4	1	CB4	1	16-3154
16 AWG	746	BRN	1	1	CB4	2	16-3154
BRN	790	BRN	4	4	CB5	1	16-3154
Item# 0450	790	BRN	7	4	CB5	2	16-3154
	790	BRN	5	3	CB7	1	16-3154
	815	BRN	9	3	CB7	2	16-3154
16-3077	738	BRN	4	2	CB6	1	16-3154
14 AWG	735	BRN	2	1	CB6	2	16-3154
BRN	796	BRN	5	4	CB8	1	16-3154
Item# 0380	807	BRN	6	3	CB8	2	16-3154

REF: B

Cable Length in (mm)			From - To				
			TB-2		RELAY		
			Row	Pos.	Pos.	Term.	Conn.
16-3247	577	BRN	2	2	K1	6	16-3154
16 AWG	522	BRN	1	3	K2	2	16-3154
BRN	476	BRN	8	3	K2	6	16-3154
Item# 0450	490	BRN	9	1	K4	6	16-3154
	602	BRN	9	2	K5	6	16-3154
16-3255 16 AWG Item# 0460	553	BLUE	11	2	K1	2	16-3154

REF: C

From Cable Length in (mm)				To RELAY			To TB-2	
				Pos.	Term.	Conn.	Row	Pos.
16-3721 PS5 Item# 1020	1255	L1	BLK	K1	8	16-3154		
		L2/N	WHITE	K1	4	16-3154		
		GND	G/Y				16	2
16-3721 PS6 Item# 1020	1040	GND	G/Y				15	1
		L1	BLK				3	1
		L2/N	WHITE				13	4



- CRIMP WIRE FERRULES (ITEM# 1040) TO THE END OF PS5 AND PS6 WIRE HARNESS
- INSTALL HEAT SHRINK TUBING (ITEM# 1050) ON PS5 & PS6 HARNEESS 25mm FROM THE TIP OF THE FERRULE

Notes:

1: 16-3154 - item# 0400

2: unless otherwise specified all dimensions in millmeters standard tolerance +20/-0 unless specified.

REV	ECO	DATE	DRAWING CHANGES BY	APPROVED BY
B	D470	2000:MAY:22	S CHEUNG	S CHEUNG
A	D336	2000:FEB:15	S CHEUNG	S CHEUNG

CREO


© COPYRIGHT CREO PRODUCTS INC.

ASSY,ELEC,
POWER COMPONENTS
MOUNT,TS8

DESIGNED BY	DRAWN BY
S CEHUNG	SCHEUNG

MILLIMETERS UNLESS SPECIFIED	DATE	SIZE	SCALE
	2000:FEB:15	B	NTS

PART NO.	REV	DOC	SHEET	OF
11 - 0605A	- B	AD	4	6



Notes:

1. **16-3273 - item# 1030**
   16-3269 - item# 0690
   16-3274 - item# 0420
2. **unless otherwise specified all dimensions in millmeters standard tolerance +20/-0 unless specified.**

REF: D

	Length	Wire	Item#	Awg	Color	From Pos.	From Conn.	To TB-2	
INLET L2/N	1471mm	16-3082	390	14	BLUE	L2/N	16-3273	13	2
INLET L1	1521mm	16-3077	380	14	BRN	L1	16-3273	4	3

ADD ITEM# (1060) TO THE ABOVE WIRES

REF: E

	Length	Wire	Item#	Awg	Color	From TB-2 Row	From TB-2 Pos.	To TB-2 Row	To TB-2 Pos.
CHASSIS GND	80mm	16-3344	510	14	G/Y	14	2	17	1
CHASSIS GND	990mm	16-3344	510	14	G/Y	15	2		

REF: F

			RELAY Pos.	RELAY Term.	RELAY Conn.	TB-2 Row	TB-2 Pos.
10-3910	L1	BLK	K2	4	16-3154		
PS4	L2/N	WHITE				12	4
Item# 1020	GND	G/Y				16	3

REV	ECO	DATE	DRAWING CHANGES BY	APPROVED BY
B	D470	2000:MAY:22	S CHEUNG	S CHEUNG
A	D336	2000:FEB:15	S CHEUNG	S CHEUNG

CREO


ASSY,ELEC,
POWER COMPONENTS
MOUNT,TS8

© COPYRIGHT CREO PRODUCTS INC.

DESIGNED BY	DRAWN BY
S CHEUNG	S CHEUNG

MILLIMETERS UNLESS SPECIFIED	DATE	SIZE	SCALE
	2000:FEB:15	B	NTS

PART NO.	REV	DOC	SHEET	OF
11 - 0605A - B	AD		5	6





REV	ECO	DATE	DRAWING CHANGES BY	APPROVED BY
B	D470	2000:MAY:22	S CHEUNG	S CHEUNG
A	D336	2000:FEB:15	S CHEUNG	S CHEUNG

CREO

ASSY,ELEC,
POWER COMPONENTS
MOUNT,TS8

© COPYRIGHT CREO PRODUCTS INC.

DESIGNED BY	DRAWN BY
S CHEUNG	S CHEUNG

MILLIMETERS UNLESS SPECIFIED	DATE	SIZE	SCALE
	2000:FEB:15	B	NTS

PART NO.	REV	DOC	SHEET	OF
11 - 0605A	- B	AD	6	6