Pandora

Release 2.0
Release Notes

creo™

Copyright

Copyright © 2002 Creo Inc. All rights reserved.

No copying, distribution, publication, modification, or incorporation of this document, in whole or part, is permitted without the express written permission of Creo. In the event of any permitted copying, distribution, publication, modification, or incorporation of this document, no changes in or deletion of author attribution, trademark legend, or copyright notice shall be made.

No part of this document may be reproduced, stored in a retrieval system, published, used for commercial exploitation, or transmitted, in any form by any means, electronic, mechanical, photocopying, recording, or otherwise, without the express written permission of Creo Inc.

This document is also distributed in Adobe Systems Incorporated's PDF (Portable Document Format). You may reproduce the document from the PDF file for internal use. Copies produced from the PDF file must be reproduced in whole.

Trademarks

The Creo wordmark, Creo logo, and the names of the Creo products and services referred to in this document are trademarks of Creo Inc.

Adobe, Acrobat, the Acrobat logo and PDF are registered trademarks of Adobe Systems Inc., and are registered in the US Patents and Trademark Office and may be registered in other jurisdictions.

Apple, AppleTalk, AppleShare, EtherTalk, LocalTalk, Macintosh, and Laserwriter are trademarks of Apple Computer Inc.

Microsoft, Microsoft Windows NT, Microsoft Windows 2000, and Windows are trademarks or registered trademarks of Microsoft Corp.

Xerox is a registered trademark of Xerox Corp.

Other brand or product names are the trademarks or registered trademarks of their respective owners.

FCC Compliance

The Creo equipment referred to in this document complies with the requirements in Part 15 of FCC Rules for a Class A computing device. Operation of the Creo equipment in a residential area may cause unacceptable interference to radio and TV reception, requiring the operator to take whatever steps are necessary to correct the interference.

Limitation of Liability

The product, software or services are being provided on an "as is" and "as available" basis. Except as may be stated specifically in your contract, Creo Inc. expressly disclaims all warranties of any kind, whether express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose and non-infringement.

You understand and agree that Creo Inc. shall not be liable for any direct, indirect, incidental, special, consequential or exemplary damages, including but not limited to, damages for loss of profits, goodwill, use, data or other intangible losses (even if Creo has been advised of the possibility of such damages), resulting from: (i) the use or the inability to use the product or software; (ii) the cost of procurement of substitute goods and services resulting from any products, goods, data, software, information or services purchased; (iii) unauthorized access to or alteration of your products, software or data; (iv) statements or conduct of any third party; (v) any other matter relating to the product, software, or services.

The text and drawings herein are for illustration and reference only. The specifications on which they are based are subject to change. Creo Inc. may, at any time and without notice, make changes to this document. Creo Inc., for itself and on behalf of its subsidiaries, assumes no liability for technical or editorial errors or omissions made herein, and shall not be liable for incidental, consequential, indirect, or special damages, including, without limitation, loss of use, loss or alteration of data, delays, or lost profits or savings arising from the use of this document.

Patents

This product is covered by one or more of the following U.S. patents:

RE37,376	5,283,140	5,517,359	5,699,740	5,969,872	6,134,393	6,283,589
4,456,924	5,291,273	5,519,852	5,708,736	5,973,801	6,136,509	6,295,076
4,500,919	5,323,248	5,526,143	5,713,287	5,986,819	6,137,580	6,299,572
4,558,302	5,325,217	5,532,728	5,742,743	5,995,475	6,147,789	6,318,266
4,743,091	5,339,176	5,561,691	5,764,374	5,996,499	6,158,345	6,340,817
4,992,864	5,343,059	5,568,595	5,764,381	5,998,067	6,159,659	6,352,816
5,049,901	5,355,446	5,576,754	5,771,794	6,003,442	6,164,637	6,353,216
5,079,721	5,359,451	5,579,115	5,785,309	6,014,471	6,180,325	6,366,339
5,081,617	5,359,458	5,592,309	5,802,034	6,016,752	6,181,362	6,371,026
5,103,407	5,367,360	5,594,556	5,813,346	6,031,932	6,181,439	6,377,739
5,111,308	5,384,648	5,600,448	5,818,498	6,043,865	6,186,068	6,387,597
5,113,249	5,384,899	5,608,822	5,854,883	6,060,208	6,189,452	6,396,422
5,122,871	5,412,491	5,615,282	5,861,904	6,063,528	6,191,882	6,396,618
5,124,547	5,412,737	5,625,766	5,861,992	6,063,546	6,204,874	6,407,849
5,132,723	5,420,702	5,636,330	5,875,288	6,072,518	6,208,369	6,414,755
5,150,225	5,420,722	5,649,220	5,894,342	6,090,529	6,214,276	6,422,801
5,153,769	5,459,505	5,650,076	5,900,981	6,096,461	6,217,965	6,435,091
5,155,782	5,473,733	5,652,804	5,934,196	6,098,544	6,252,522	
5,157,516	5,481,379	5,680,129	5,942,137	6,107,011	6,260,482	
5,208,818	5,488,906	5,691,823	5,946,426	6,112,663	6,266,080	
5,208,888	5,497,252	5,691,828	5,947,028	6,115,056	6,266,134	
5,247,174	5,508,828	5,696,393	5,958,647	6,121,996	6,267,054	
5,249,067	5,509,561	5,699,174	5,966,504	6,130,702	6,268,948	

Creo Inc.
3700 Gilmore Way
Burnaby, B.C., Canada
V5G 4M1
Tel: 1-604-451-2700
Fax: 1-604-437-9891

http://www.creo.com

Revised February 2003

Introduction

We are pleased to send you the latest revision of Pandora software. These last minute release notes identify issues that currently remain unresolved. These issues are in addition to those highlighted in the Pandora 2.0 release notes. These last minute release notes are provided in English only.

Pandora 2.0 Issues Still Under Review

Macintosh and Windows

10233 If you typed too large a number in the **X** or **Y** box on the **Control** palette to define the horizontal or vertical position of a mark, the mark is placed outside the viewable area and you cannot find it.

10973 Pandora gives an RGB warning ("Unmapped colors...Artwork contains RGB image data") for monotones and duotones.

11213 Colors in some duotones saved to PDF in Adobe® Illustrator® do not display accurately in Pandora.

11388 Pandora does not give you status feedback during printing operations.

11436 Colors set to **Never Print** on the **Output Setup** tab knock out to white in Adobe Acrobat® 4 and some composite RIPs. The colors do not appear in separated output or on composite RIPS that handle the **None** color correctly.

11437 Some die line curves (splines) in DXF™ files generated by Adobe Illustrator are not supported in Pandora.

11725 Deleting a film or plate from the **ShopMap** palette does not delete its calibration information, which remains even after you create a film or plate with the same size as the one that was deleted.

11890 Snap to die is incorrect if the art has registration marks.
Workaround: Place registration marks within the bounding box of the die.

11921 If you press the ENTER or RETURN key after typing an invalid number in the Preferences dialog box, it dismisses the error message but also closes the Preferences dialog box. To avoid this result, press the TAB key after typing a setting.

11977 Pandora does not print the dieline if there is no artwork in the job. When you select **Print die line** and the job contains no artwork, Pandora displays an error message telling you that you need to add artwork to the job.

12306 Overprinting does not work for process colors if you set only one process color to overprint. It does work if you set all process colors to overprint. Spot color overprinting does not have this restriction.

12307 If you set one process color to knock out, the other process colors knock out as well.

12708 PDF files that are rotated in Acrobat lose their rotation when the PJTF is processed on the Prinergy® system . This is a bug in the Prinergy system.
Workaround: Output the job from Pandora as a PDF instead of PJTF.

12972 You cannot create or select bleed points if a guide occupies the same area as the bleed path segment. Workaround: Choose **View>Guides>Lock**.

12993 When text is selected in the **JOV**, the **Copy**, **Cut**, and **Paste** commands on the **Edit** menu are unavailable.
Workaround: Use the keyboard shortcuts for these commands.

13086 Two people can open the same job simultaneously.

13512 Pandora sometimes cannot preview PDFs containing large copydot files. You can minimize the likelihood of this happening by increasing your free disk space to 2 GB; however, some very large files still do not preview.

13569 For SmartLayouts, if any of the artworks in a captured selection are not rectangular, Pandora allows you to select the **Guillotine Cut** check box, but may offer solutions that cannot be guillotined.

13606 On the Agfa® PDF RIP, the dieline is not included in the output although you selected the **Embed** check box for the **Die Line** in the Print dialog box. This omission is due to a limitation on the length of color names used by the Agfa PDF RIP. Pandora names the die color **Dieline_** followed by the name of the CAD file.
Workaround: Limit the CAD file name to 19 characters or less to ensure that the dieline color name is short enough to be recognized by the Agfa PDF RIP.

13615 If you delete a press sheet from the **ShopMap** palette after using it in a job, when you generate SmartLayout solutions the press sheet is not included.

13622 When you open a saved report from SmartLayout solutions created in Spanish or French, some of the characters in the report have been replaced with incorrect characters.

13629 You cannot undo the deletion of a solution deleted from the **SmartLayout** tab of the **JOV**.

13643 Pandora complains that the press sheet is too small to create a SmartLayout solution although the press sheet is not too small.

13725 When you print a job to a PostScript file, forms caching does not reduce the size of the file. Forms caching does work correctly when you print to a PDF file.

13903 Some spot colors display as black in the **JIV**, although they print on the correct separations.

13945 Colors in artwork files created in Macromedia® FreeHand® overprint incorrectly under certain conditions.
Workarounds: (1) Ungroup the objects in the FreeHand file before exporting it as PDF. (2) Keep all separations selected in the Print dialog box when printing the job from Pandora.

14016 **View>Fit In Window** gives an incorrect view if the die is hidden in the **JIV** (that is, if you previously chose **View>Hide Die**).

14018 Sometimes when you select an artwork in a job, unused color definitions appear under **Colors** on the **Content** tab of the **JOV**.

Macintosh

11587 Some keyboard shortcuts in dialog boxes do not work in Pandora; the button in the dialog box appears to be pressed, but Pandora does not execute the command.

11675 Sometimes the **Create** button disappears from the New Press Sheet dialog box when you use the keyboard instead of the mouse to enter settings.

11815 The keyboard shortcut for **Open Recent** does not work.

12567 If you export a resource without an .XML extension from the **ShopMap** palette, the resource is hidden when you attempt to import it into another instance of the **ShopMap** palette.
Workarounds: (1) Include an .XML extension in the resource name, or (2) Go up one folder level, then return to the folder to which you exported the resource.

13454 If total memory (virtual memory) is set between 685 and 700 MB, Pandora runs out of memory while starting up.
Workaround: Set total memory to more than 700 MB or less than 685 MB.

13596 Pandora occasionally crashes during and/or after using the SmartLayout feature.

14005 In Prinergy Powerpack™, you cannot use Pandora jobs that include artwork files having names longer than 31 characters.

14014 A "wait" cursor is not displayed while you wait for artwork to be displayed in a job.

14021 If you import and place an artwork file containing many colors when the slider in the Preferences dialog box under **Screen Cache Size** is set to a high resolution, an error occurs.

14057 Importing into the **Marks** palette a mark that has an extreme aspect ratio (that is, an extreme ratio of one dimension to another) causes Pandora to freeze.

14063 Pandora does not replace the # symbol in a custom-created die station number mark.

14065 Sometimes the **Bleed margins** boxes in the **Control** palette are unavailable even when the selected artwork is rectangular.

14073 Clicking a shared die station boundary selects both die stations.

14078 The rightmost center mark is offset vertically from the center point by a distance equalling the width of the mark.

Windows

12246 If you delete an artwork after changing the process color mapping, then undo the deletion, your changed color mapping is lost.
Workaround: Change the mapping to another color, then back to **Process** to restore your settings.

12759 If you add an output device to the **ShopMap** palette using an invalid PPD, it corrupts the **ShopMap** palette.

13367 A one-pixel gap may appear between adjacent artwork in the **JIV**, and in the high-resolution preview.

13511 Pandora is sluggish when your PC color is set to 32-bit color mode (**True Color**). To avoid this problem, use any other color setting (available from **Start>Settings> Control Panel>Display>Settings tab>Color Palette**).

13563 Pandora cannot process a mark that contains a Ÿ (the lower case ÿ works correctly).

13782 When you copy and paste the die station number mark from one job to another, the job with the pasted version does not offer mark settings for **Font size**, **Color**, or **Overprint** on the **Content** tab in the **JIV**.

13797 Pandora does not start as expected, but displays this error message: "PDF display RIP failed to launch. Invalid Function resource."
Workaround: Move the **Agm.dll** file from the **Resources** folder of your Pandora installation to the main folder, then start Pandora.

14019 If you import and place a large artwork file when the slider in the Preferences dialog box under **Screen Cache Size** is set to a high resolution, Pandora shuts down.

Keyboard Issues in French, German, and Spanish Pandora for Macintosh

On French, German, and Spanish keyboards and operating systems, you need to use the keystrokes listed below for shortcuts instead of the English keystrokes listed in the Pandora menus.

Command	French	German	Spanish
Close	11634 COMMAND+z	--	--
Quit	11633 COMMAND+a	--	--
Undo	11634 COMMAND+w	11681 COMMAND+y	--
Redo	COMMAND+SHIFT+W	11681 COMMAND+SHIFT+Y	--
Select all	see below*	--	--
Zoom in	COMMAND+=	COMMAND+´ (acute accent) or keypad +	COMMAND+¡ or keypad +
Zoom out	COMMAND+}	COMMAND+? or COMMAND+keypad -	COMMAND+' or keypad -
Show/hide guides	COMMAND+m	11679 COMMAND+ö	COMMAND+ñ or keypad -
Lock/unlock guides	COMMAND+SHIFT+M	11680 COMMAND+SHIFT+Ö	COMMAND+SHIFT+Ñ

*COMMAND+Q does not select all on the French keyboard. The keystrokes invoke the **Quit** command instead, and Pandora asks if you want to save unsaved work.

**COMMAND+SHIFT+0 (zero): Shift mode is used to access numbers on the French keyboard—this key combination invokes sleep mode on some G4 Macintoshes running under OS 9.