Release Notes

English

Creo PDF Trapper 3.0

717-000108B-EN Rev A

www.creo.com/

Copyright

Copyright © 2006 Creo Inc. All rights reserved.

No copying, distribution, publication, modification, or incorporation of this document, in whole or part, is permitted without the express written permission of Creo. In the event of any permitted copying, distribution, publication, modification, or incorporation of this document, no changes in or deletion of author attribution, trademark legend, or copyright notice shall be made.

No part of this document may be reproduced, stored in a retrieval system, published, used for commercial exploitation, or transmitted, in any form by any means, electronic, mechanical, photocopying, recording, or otherwise, without the express written permission of Creo Inc.

This document is also distributed in Adobe Systems Incorporated's PDF (Portable Document Format). You may reproduce the document from the PDF file for internal use. Copies produced from the PDF file must be reproduced in whole.

Trademarks

The Creo wordmark, Creo logo, and the names of the Creo products and services referred to in this document are trademarks of Creo Inc.

Adobe, Acrobat, and the Acrobat logo are registered trademarks of Adobe Systems Incorporated, and are registered in the U.S. Patents and Trademark Office and may be registered in other jurisdictions.

Apple, AppleTalk, AppleShare, EtherTalk, LocalTalk, Macintosh, and LaserWriter are trademarks of Apple Computer, Inc.

Microsoft, Microsoft Windows NT, Microsoft Windows 2000, and Windows are trademarks or registered trademarks of Microsoft Corp.

Xerox is a registered trademark of Xerox Corp.

Other brand or product names are the trademarks or registered trademarks of their respective owners.

FCC Compliance

Any Creo equipment referred to in this document complies with the requirements in Part 15 of FCC Rules for a Class A computing device. Operation of the Creo equipment in a residential area may cause unacceptable interference to radio and TV reception, requiring the operator to take whatever steps are necessary to correct the interference.

Equipment Recycling

In the European Union, this symbol indicates that when the last user wishes to discard this product, it must be sent to appropriate facilities for recovery and recycling.



Contact your local Kodak representative or refer to www.kodak.com/go/recycle/ for additional information on the collection and recovery programs available for this product.

Limitation of Liability

The product, software or services are being provided on an “as is” and “as available” basis. Except as may be stated specifically in your contract, Creo Inc. expressly disclaims all warranties of any kind, whether express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose and non-infringement.

You understand and agree that Creo Inc. shall not be liable for any direct, indirect, incidental, special, consequential or exemplary damages, including but not limited to, damages for loss of profits, goodwill, use,

data or other intangible losses (even if Creo has been advised of the possibility of such damages), resulting from: (i) the use or the inability to use the product or software; (ii) the cost of procurement of substitute goods and services resulting from any products, goods, data, software, information or services purchased; (iii) unauthorized access to or alteration of your products, software or data; (iv) statements or conduct of any third party; (v) any other matter relating to the product, software, or services.

The text and drawings herein are for illustration and reference only. The specifications on which they are based are subject to change. Creo Inc. may, at any time and without notice, make changes to this document. Creo Inc., for itself and on behalf of its subsidiaries, assumes no liability for technical or editorial errors or omissions made herein, and shall not be liable for incidental, consequential, indirect, or special damages, including, without limitation, loss of use, loss or alteration of data, delays, or lost profits or savings arising from the use of this document.

Patents

This product is covered by one or more of the following U.S. patents:

RE37,376	5,283,140	5,517,359	5,699,740	5,969,872	6,134,393	6,283,589
4,456,924	5,291,273	5,519,852	5,708,736	5,973,801	6,136,509	6,295,076
4,500,919	5,323,248	5,526,143	5,713,287	5,986,819	6,137,580	6,299,572
4,558,302	5,325,217	5,532,728	5,742,743	5,995,475	6,147,789	6,318,266
4,743,091	5,339,176	5,561,691	5,764,374	5,996,499	6,158,345	6,340,817
4,992,864	5,343,059	5,568,595	5,764,381	5,998,067	6,159,659	6,352,816
5,049,901	5,355,446	5,576,754	5,771,794	6,003,442	6,164,637	6,353,216
5,079,721	5,359,451	5,579,115	5,785,309	6,014,471	6,180,325	6,366,339
5,081,617	5,359,458	5,592,309	5,802,034	6,016,752	6,181,362	6,371,026
5,103,407	5,367,360	5,594,556	5,813,346	6,031,932	6,181,439	6,377,739
5,111,308	5,384,648	5,600,448	5,818,498	6,043,865	6,186,068	6,387,597
5,113,249	5,384,899	5,608,822	5,854,883	6,060,208	6,189,452	6,396,422
5,122,871	5,412,491	5,615,282	5,861,904	6,063,528	6,191,882	6,396,618
5,124,547	5,412,737	5,625,766	5,861,992	6,063,546	6,204,874	6,407,849
5,132,723	5,420,702	5,636,330	5,875,288	6,072,518	6,208,369	6,414,755
5,150,225	5,420,722	5,649,220	5,894,342	6,090,529	6,214,276	6,422,801
5,153,769	5,459,505	5,650,076	5,900,981	6,096,461	6,217,965	6,435,091
5,155,782	5,473,733	5,652,804	5,934,196	6,098,544	6,252,522	
5,157,516	5,481,379	5,680,129	5,942,137	6,107,011	6,260,482	
5,208,818	5,488,906	5,691,823	5,946,426	6,112,663	6,266,080	
5,208,888	5,497,252	5,691,828	5,947,028	6,115,056	6,266,134	
5,247,174	5,508,828	5,696,393	5,958,647	6,121,996	6,267,054	
5,249,067	5,509,561	5,699,174	5,966,504	6,130,702	6,268,948	

Creo Inc.
3700 Gilmore Way
Burnaby, B.C., Canada
V5G 4M1
Tel: 1-604-451-2700
Fax: 1-604-437-9891

http://www.creo.com

717-00108B-EN-RevA

Revised February 2006

Contents

Introduction 1
    What Is in These Release Notes 1
New Features 2
    Trap Trimming (Also Called Split-Line Trapping) 2
Availability and Support 3
    Licensing 3
    Upgrading 3
    Technical Support 3
    Documentation 3
    Localization 3
    Training 3
Compatibility 4
    System Compatibility 4
    Compatibility with Other Trapping Software 4
Limitations 5

Introduction

We are pleased to send you the Creo PDF Trapper software. These release notes highlight the features and availability for version 3.0 of the software.

What Is in These Release Notes

These release notes include the following sections:

New Features

Availability and Support

Compatibility

Limitations

Please contact your local customer service representative to inquire about the Creo PDF Trapper.

New Features

This section lists features that were added in the new release of PDF Trapper software.

Trap Trimming (Also Called Split-Line Trapping)

You can now choose to automatically adjust the shape of thick trap around thin objects. The trap trimming feature clips traps that might extend into the object receiving the trap, resulting in a trap with variable thickness. For more information, see the PDF Trapper Plug-In Help.

This feature is accessed via the **Geometry** parameter in the detailed trapping dialog box. An Advanced PDF Trap Editor license is required.

Availability and Support

Licensing

There is separate licensing available for:

- The Trap JTP
- The Creo PDF Trapper Plug-ins: PDF Trap Viewer (with JTP), PDF Trap Editor, Advanced PDF Trap Editor

Upgrading

- The Creo PDF Trapper 3.0 upgrade is included with the Prinergy 3.0 software upgrade.

Technical Support

For technical support, call a service representative at 1-877-788-2727 (toll free).

Documentation

- The PDF Trapper Plug-In Help and PDF Trapper Quick Start Guide (including tutorials) are available from the Acrobat Help menu. Select **Help > Plug-In Help > Creo PDF Trapper**
- The Trap JTP documentation is available in the Prinergy Workshop online help

Localization

- The user interface is available in Chinese, French, German, Japanese, and Spanish.
- The Creo PDF Trapper Plug-In Help is available in French, German, Japanese, and Spanish. It will soon be available in Chinese.
- The Creo PDF Trapper Quick Start Guide is available in French, German, Japanese, and Spanish. It will soon be available in Chinese.

Training

For information about customer training, please contact your local service representative.

Compatibility

System Compatibility

Component	Minimum Requirements
Operating System	• Microsoft Windows 2000 with service pack as qualified by Creo Or: • Mac OS 9.2 or later with 100 MB of memory assigned to Acrobat. +The actual memory requirement depends on the complexity and size of the processed file and other Acrobat plug-ins. Or: • Mac OS X 10.2.3 or later **Note:** A Macintosh client must have both a computer name and a user name assigned.
Software	Acrobat 5, 6, or 7 If you send the refined and trapped files to another site for output, that site must have installed at least Prinergy 2.0.
Hardware and Connections	256 MB RAM; 300 MHz PII or G3 processor 100 MB free disk space for temporary files; mouse or trackball TCP/IP network connection to the Prinergy primary server

Compatibility with Other Trapping Software

For best results, remove all traps made in upstream applications before trapping.

Limitations

- There are special recommendations when using Enfocus PitStop with a plug-in trapping workflow. For more information, see the PDF Trapper Plug-In Help.
- No copydot images are trapped.
- If trap trimming is enabled, the trapping time can be longer, so only use on files where it is needed. Use with caution around overprinted objects because trap trimming does not ignore overprinted objects. You cannot force two traps to butt against each other underneath a keyline.